

Information Guide:

Notes about LecicoSA Urinals

1. The **BS Urinals** come in 3 basic sizes.
Sizes are differentiated by the height – 400mm, 500mm & 600mm.



BS 40 Urinal



BS 50 Urinal



BS 60 Urinal

2. All 3 **BS Urinals** sizes need 2x *hanging brackets* for installation against the wall.
[These are supplied by Lecico].



All 3 sizes
need
hanging
brackets x2

3. Other extras supplied are the *urinal waste*, and a *top- OR back-entry spreader*.



4. An optional extra on request is the *standard bottle trap* which can be used on the BS40 or BS50 Urinal.

The BS 40 & BS 50 Urinals use a standard bottle trap




5. The BS60 Urinal can only use a *Wirquin* or a *Dutton bottle trap* as the trap is not exposed.

The BS 60 Urinal
uses any of these two bottles traps



6. There is a **waterless option** for all 3 urinals by using the **Lilydome waste**. [Lecico will supply a stopper to be used to cover the inlet hole at the top of the urinal]. **NB: The cartridge on the Lilydome waste must be replaced every six months.**



7. Our **Geo Urinal** is available in back-entry only.



This Geo Urinal has a built-in *plastic spreader* and comes with *side fixation bolts* to attach to the wall.



The *horizontal trap* is available from Geberit:



The Geo Urinal is compatible with the Geberit flush valve and components. **The Geo Urinal is not suitable for a waterless conversion.**